



VACCINES REQUIRED FOR SCHOOL ATTENDANCE, GRADES K-12¹

July 1, 2009 – June 30, 2010

Month, Day & Year are required documentation of all vaccines.

VACCINE ²	Kindergarten	1 st Grade	2 nd -3 rd Grades	4 th -5 th Grades	6 th Grade	7 th -8 th Grades	9 th -12 th Grades
HEPATITIS B • Series must <u>NOT</u> be completed in less than 4 months. Series should be completed within 9 months of starting school.			<p>3 doses</p> <p>2nd dose can be given at least 1 month (24 days) after the 1st dose. 3rd dose must be given at or after 6 months (24 weeks) of age. 3rd dose must be given at least 2 months after the 2nd dose. 3rd dose must be given at least 4 months after the 1st dose.</p> <p>If the student receives 2 doses of an adolescent formulation of Recombivax HB between ages 11 and 15, separated by 4 months, the student's immunization status is "complete."</p>				
DTaP/DT/Td/Tdap • Those older than 7 should not receive DTaP. • After the 7 th birthday, children should receive Td or Tdap.	4 doses DTaP <u>IF</u> the last dose is given on or after the 4 th birthday.	3 doses DTaP, DT or Td <u>IF</u> the last dose is given on or after the 4 th birthday.	<p>2 doses</p> <p>1st dose must be given on or after the 1st birthday (4 day grace applies). 2nd dose must be given at least 28 days after the 1st dose (4 day grace <u>DOES NOT</u> apply).</p>		3 doses DTaP, DT or Td <u>IF</u> the last dose is given on or after the 4 th birthday AND 1 dose Tdap <u>IF</u> student is 11 years old and <u>IF</u> it has been at least 5 years since the last DTaP, DT or Td.	3 doses DTaP, DT or Td <u>IF</u> the last dose is given on or after the 4 th birthday. Tdap may substitute for 1 of the 3 doses.	
POLIO (IPV or OPV) • Students 18 years and older are not required to have IPV or OPV.			<p>4 doses <u>IF</u> all doses are given before the 4th birthday. 3 doses <u>IF</u> the last dose is given on or after the 4th birthday.</p>				
MMR • Blood test (titer) showing immunity to measles, mumps or rubella is acceptable.			<p>2 doses</p> <p>1st dose must be given on or after the 1st birthday (4 day grace applies). 2nd dose must be given at least 28 days after the 1st dose (4 day grace <u>DOES NOT</u> apply).</p>				
VARICELLA • Varicella must be received the same day as MMR <u>OR</u> at least 28 days apart (4 day grace <u>DOES NOT</u> apply). • The minimum interval between varicella doses for children < 13 years of age is 28 days (recommended interval is 3 mos). • Blood test (titer) showing immunity to varicella and/or provider diagnosis/verification of disease is acceptable.	<p>2 doses</p> <p>Must be given on or after the 1st birthday (4 day grace applies). Parent-reported history of disease <u>NOT</u> acceptable.</p>	<p>1 dose</p> <p>Must be given on or after the 1st birthday (4 day grace applies). Parent reported history of disease is acceptable.</p>	<p>Recommended, but not required</p>	<p>1 dose</p> <p>Must be given on or after the 1st birthday (4 day grace applies). Parent reported history of disease is acceptable.</p>	<p>Recommended, but not required</p>		

¹ To attend public/private school or licensed child care in WA State, each child must present a signed Certificate of Immunization Status form showing proof of 1) full immunization per the 2007 Recommended Childhood Immunization Schedule (see <http://www.doh.wa.gov/cfh/immunize/schools/vaccine.htm>), 2) an initiation of a schedule of immunization, 3) a medical exemption (with health care provider signature), OR 4) personal or religious exemption (with a parent/guardian signature).
² There is no maximum interval between doses. Even if the recommended interval is not met, the series does not need to be restarted. Vaccine doses given ≤ 4 days before the minimum interval or age are valid, except for the intervals between MMR doses, varicella doses and MMR and varicella doses.